



Cardinal
Számítástechnikai Kft.

1025 Budapest, Pusztaszeri út 91. +36 1 345 7980 <http://www.cardinal.hu>

K&H Bank Electra ISO20022 import format

Cardinal Kft., 2016-2024.

Table of contents

pain.001.001.02	3
pain.001.001.03	29
pain.001.001.06	52

K&H Bank Electra pain.001.001.02 import format

This document specifies which XML fields will be taken in account for the different transaction types (indicated in the Imp column)

Name	Tag name	Occ.	Type	Max	Remark	Imp
Document	<Document>	[1..1]	±			
	The system determines the actual type of the transaction of item and saves the transaction data into a corresponding package. The transaction type is decided according to the following rules:					
	<p>HUF Book transfer, when transferring HUF from HUF account to own HUF account (HVE). Instant HCT, when a VIBER transfer meets Instant HCT rules (HCTI). For real-time gross settlement VIBER (VIB). HUF transfer, when transferring HUF from own HUF account to another domestic HUF account (HCT). SEPA credit transfer, when transferring maximum 500.000 Euro to EEA without documentary reference (SCX) to a foreign bank. Intrabank FX transfer in other cases when beneficiary's bank is the same (DBB). FX transfer in any other case (DEV).</p>					
pain.001.001.02	<pain.001.001.02>	[1..1]	±		urn:iso:std:iso:20022:tech:xsd:pain.001.001.02	
CustomerCreditTransferInitiation +GroupHeader	<GrpHdr>	[1..1]	±		message header	
CustomerCreditTransferInitiation +GroupHeader ++MessageId	<MsgId>	[1..1]	Text	35	message id	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++CreationDateTime	<CreDtTm>	[1..1]	DateTime		creation date and time of message	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++NumberOfTransactions	<NbOfTxs>	[1..1]	Num	15	number of transactions	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++ControlSum	<CtrlSum>	[0..1]	Dec.Num	18	control sum	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++GroupingCode	<Grpg>	[1..1]	CodeSet		"SINGL"	
CustomerCreditTransferInitiation +GroupHeader ++InitiatingParty	<InitgPty>	[1..1]	±		debtor	

CustomerCreditTransferInitiation +GroupHeader ++InitiatingParty +++Name	<Nm>	[0..1]	Text	70	debtor name, will be overwritten with the name stored in the system	
CustomerCreditTransferInitiation +PaymentInformation	<PmtInf>	[1..n]	±		payment information	
CustomerCreditTransferInitiation +PaymentInformation ++PaymentInformationId	<PmtInfId>	[0..1]	Text	35	payment information id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentMethod	<PmtMtd>	[1..1]	CodeSet		"TRF"	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation	<PmtTpInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++InstructionPriority	<InstrPrty>	[0..1]	CodeSet		"NORM" or "HIGH" (in case of urgent FX transfer)	SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++Service Level	<SvcLvl>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++Service Level ++++Code	<Cd>	[1..1]	CodeSet		URGP: VIBER transfer SEPA: SEPA transfer (may be overridden by the system)	VIB SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CtgyPurp	<CtgyPurp>	[0..1]	Text	4	CORT SALA TREA CASH DIVI GOVT INTE LOAN PENS SECU SSBE SUPP TAXS TRAD VATX HEDG INTC WHLD	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++RequestedExecutionDate	<ReqdExctnDt>	[1..1]	Date		requested execution date	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++Debtor	<Dbtr>	[1..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Name	<Nm>	[1..1]	Text	70	debtor name, will be overwritten with the name stored in the system	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++BIC	<BIC>	[0..1]	Text	11		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++IBEI	<IBEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++BEI	<BEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++EANGLN	<EANGLN>	[0..1]	Text	13		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++DUNS	<DUNS>	[0..1]	Text	9		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++BkPtyId	<BkPtyId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++PrtryId	<PrtryId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++PrtryId +++++Id	<Id>	[1..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++PrtryId +++++Issr	<Issr>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DriversLicenseNb	<DrvrLicNb>	[0..1]	Text	35	Drivers licence number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++CustomerNb	<CstmrNb>	[0..1]	Text	35	Customer number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++SocialSecurityNb	<ScISctyNb>	[0..1]	Text	35	Social security number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++AlnRegnNb	<AlnRegnNb>	[0..1]	Text	35	Alien registration number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++PsptNb	<PsptNb>	[0..1]	Text	35	Passport Id	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private ++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35	Tax number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private ++++IdntyCardNb	<IdntyCardNb>	[0..1]	Text	35	Identity Card number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private ++++MplyrIdNb	<MplyrIdNb>	[0..1]	Text	35	Employee Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private ++++OthrId	<OthrId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private ++++OthrId +++++Id	<Id>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private ++++OthrId +++++IdTp	<IdTp>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private ++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private ++++DateAndPlaceOfBirth +++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount	<DbtrAcct>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification	<Id>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++IBAN	<IBAN>	[0..1]	Account		IBAN account to be debited	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++BBAN	<BBAN>	[0..1]	Account	30	GIRO account to be debited	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent	<DbtrAgt>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent +++FinancialInstitutionId	<FinInstnId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent +++FinancialInstitutionId ++++BankIdentificationCode	<BIC>	[1..1]	Text	11	Debtor bank ID, ignored	

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor	<UltmtDbtr>	[0..1]	±		Ultimate debtor	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Name	<Nm>	[0..1]	Text	70	Ultimate debtor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++BIC	<BIC>	[0..1]	Text	11		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++IBEI	<IBEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++BEI	<BEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++EANGLN	<EANGLN>	[0..1]	Text	13		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++USCHU	<USCHU>	[0..1]	Text	6		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++DUNS	<DUNS>	[0..1]	Text	9		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++BkPtyId	<BkPtyId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++PrtryId	<PrtryId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++PrtryId +++++Id	<Id>	[1..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++PrtryId +++++Issr	<Issr>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DriversLicenseNb	<DrvrsLicNb>	[0..1]	Text	35	Drivers licence number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++CustomerNb	<CstmrNb>	[0..1]	Text	35	Customer number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++SocialSecurityNb	<ScIStyNb>	[0..1]	Text	35	Social security number	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++AlnRegnNb	<AlnRegnNb>	[0..1]	Text	35	Alien registration number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++PsptNb	<PsptNb>	[0..1]	Text	35	Passport Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35	Tax number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++IdntyCardNb	<IdntyCardNb>	[0..1]	Text	35	Identity Card number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++MplyrIdNb	<MplyrIdNb>	[0..1]	Text	35	Employee Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++OthrId	<OthrId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++OthrId +++++Id	<Id>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++OthrId +++++IdTp	<IdTp>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation	<CdtTrfTxInf>	[1..1]	±		transaction information	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification	<PmtId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification ++++InstructionIdentification	<InstrId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification ++++EndToEndIdentification	<EndToEndId>	[1..1]	Text	35		HCT SCX HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation	<PmtTpInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++InstructionPriority	<InstrPrty>	[0..1]	CodeSet		"NORM" or "HIGH" (in case of urgent FX transfer)	SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++Service Level	<SvcLvl>	[1..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CtgyPurp	<CtgyPurp>	[0..1]	Text	4	CORT SALA TREA CASH DIVI GOVT INTE LOAN PENS SECU SSBE SUPP TAXS TRAD VATX HEDG INTC WHLD	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount	<Amt>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++InstructedAmount	<InstdAmt>	[0..1]	Text	18.2	Amount, @Ccy indicates amount and transaction currency	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount	<EqvtAmt>	[0..1]				
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount +++++Amount	<Amt>	[1..1]	Text	18.2	Amount, @Ccy indicated amount currency	DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount +++++CurrencyOfTransaction	<CcyOfTrf>	[1..1]	Text	3	Transaction currency	DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor	<UltmtDbtr>	[0..1]	±		Ultimate debtor	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Name	<Nm>	[0..1]	Text	70	Ultimate debtor name	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++BIC	<BIC>	[0..1]	Text	11		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++IBEI	<IBEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++BEI	<BEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++EANGLN	<EANGLN>	[0..1]	Text	13		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++USCHU	<USCHU>	[0..1]	Text	6		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++DUNS	<DUNS>	[0..1]	Text	9		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++BkPtyld	<BkPtyld>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++Prtryld	<Prtryld>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++Prtryld +++++++Id	<Id>	[1..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization ++++++Prtryld +++++++Issr	<Issr>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private	<Prvtld>	[0..1]	±		Private identification	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private ++++++DriversLicenseNb	<DrvrsLicNb>	[0..1]	Text	35	Drivers licence number	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++CustomerNb	<CstmrNb>	[0..1]	Text	35	Customer number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++SocialSecurityNb	<ScIStcYNb>	[0..1]	Text	35	Social security number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++AlnRegnNb	<AlnRegnNb>	[0..1]	Text	35	Alien registration number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++PsptNb	<PsptNb>	[0..1]	Text	35	Passport Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35	Tax number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++IdntyCardNb	<IdntyCardNb>	[0..1]	Text	35	Identity Card number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++MplyrIdNb	<MplyrIdNb>	[0..1]	Text	35	Employee Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++OthrId	<OthrId>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++OthrId +++++Id	<Id>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++OthrId +++++IdTp	<IdTp>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Charge Bearer	<ChrgBr>	[0..1]	CodeSet		DEBT CRED SHAR SLEV	SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent	<CdtrAgt>	[0..1]	±		Creditor bank	DEV

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId	<FinInstnId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++BankIdentificationCode	<BIC>	[0..1]	Text	11	BIC code of creditor bank	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++NmAndAdr	<NmAndAdr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++NameAndAddress +++++Name	<Nm>	[0..1]	Text	35	Name of creditor bank	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++NameAndAddress +++++PstlAdr	<PstlAdr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++NameAndAddress +++++PostalAddress +++++Country	<Ctry>	[0..3]	Text	2	Country code of creditor bank	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++NameAndAddress +++++PostalAddress +++++AddressLine	<AdrLine>	[0..3]	Text	35	Address of creditor bank	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor	<Cdtr>	[1..1]	±		Creditor bank	

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Name	<Nm>	[1..1]	Text	70	Creditor name	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress	<PstlAdr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress +++++Country	<Ctry>	[1..1]	CodeSet		Creditor's country code	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress +++++AddressLine	<AdrLine>	[0..2]	Text	70		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++BIC	<BIC>	[0..1]	Text	11		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++IBEI	<IBEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++BEI	<BEI>	[0..1]	Text	10		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++EANGLN	<EANGLN>	[0..1]	Text	13	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++USCHU	<USCHU>	[0..1]	Text	6	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++DUNS	<DUNS>	[0..1]	Text	9	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++BkPtyId	<BkPtyId>	[0..1]	Text	35	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++PrtryId	<PrtryId>	[0..1]	±		
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++PrtryId +++++++Id	<Id>	[1..1]	Text	35	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++Prtryld +++++Issr	<Issr>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private	<Prvtld>	[0..1]	±		Private identification	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++DriversLicenseNb	<DrvrLicNb>	[0..1]	Text	35	Drivers licence number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++CustomerNb	<CstmrNb>	[0..1]	Text	35	Customer number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++SocialSecurityNb	<ScIscyNb>	[0..1]	Text	35	Social security number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++AlnRegnNb	<AlnRegnNb>	[0..1]	Text	35	Alien registration number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++PsptNb	<PsptNb>	[0..1]	Text	35	Passport Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35	Tax number	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++IdntyCardNb	<IdntyCardNb>	[0..1]	Text	35	Identity Card number	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++MplyrIdNb	<MplyrIdNb>	[0..1]	Text	35	Employee Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++OthrId	<OthrId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++OthrId +++++Id	<Id>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++OthrId +++++IdTp	<IdTp>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount	<CdtrAcct>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification	<Id>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++IBAN	<IBAN>	[0..1]	Account		IBAN account to be credited	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++BBAN	<BBAN>	[0..1]	Account	30	GIRO account to be credited	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++ProprietaryAccount	<PrtryAcct>	[0..1]				HCT
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++ProprietaryAccount +++++Identification	<Id>	[1..1]	Text	4+1 +25 4	Account proxy id type: EMAL - email address TELE - phone number TXNB - only Hungarian TAX id (corporate) TXID - Hungarian TAX id (private person), and every other foreign TAX id and value. Eg: "EMAL:example@gmail.com"	HCT

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor	<UltmtCdtr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Name	<Nm>	[0..1]	Text	70	Ultimate creditor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++BIC	<BIC>	[0..1]	Text	11		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++IBEI	<IBEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++BEI	<BEI>	[0..1]	Text	10		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++EANGLN	<EANGLN>	[0..1]	Text	13		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++USCHU	<USCHU>	[0..1]	Text	6		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++DUNS	<DUNS>	[0..1]	Text	9		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++BkPtyId	<BkPtyId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++PrtryId	<PrtryId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++PrtryId +++++Id	<Id>	[1..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++PrtryId +++++Issr	<Issr>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++DriversLicenseNb	<DrvrsLicNb>	[0..1]	Text	35	Drivers licence number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++CustomerNb	<CstmrNb>	[0..1]	Text	35	Customer number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++SocialSecurityNb	<ScISctyNb>	[0..1]	Text	35	Social security number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++AlnRegnNb	<AlnRegnNb>	[0..1]	Text	35	Alien registration number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++PsptNb	<PsptNb>	[0..1]	Text	35	Passport Id	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++TaxIdNb	<TaxIdNb>	[0..1]	Text	35	Tax number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++IdntyCardNb	<IdntyCardNb>	[0..1]	Text	35	Identity Card number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++MplyrIdNb	<MplyrIdNb>	[0..1]	Text	35	Employee Id	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++OthrId	<OthrId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++OthrId +++++Id	<Id>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++OthrId +++++IdTp	<IdTp>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++InstructionForDebtorAgent	<InstrForDbtrAgt>	[0..1]	Text	140	Remark for the debtor bank	SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose	<Purp>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose ++++Code	<Cd>	[1..1]	CodeSet		Purpose	DEV DBB SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose ++++Prtry	<Prtry>	[1..1]	Text	35		DEV DBB SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RelatedRemittanceInformation	<RltdRmtInf>	[0..1]	±		Confirmation request	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RelatedRemittanceInformation ++++RemittanceLocationMethod	<RmtLctnMtd>	[0..1]	CodeSet		FAXI	SCX DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RelatedRemittanceInformation ++++RemittanceLocationElectronicAddress	<RmtLctnElctrcAdr>	[0..1]	Text	60	Fax number	SCX DEV

K&H Bank Electra pain.001.001.03 import format

This document specifies which XML fields will be taken in account for the different transaction types (indicated in the Imp column)

Name	Tag name	Occ.	Type	Max	Remark	Imp
Document	<Document>	[1..1]	±			
	The system determines the actual type of the transaction of item and saves the transaction data into a corresponding package. The transaction type is decided according to the following rules:					
	<p>HUF Book transfer, when transferring HUF from HUF account to own HUF account (HVE). Instant HCT, when a VIBER transfer meets Instant HCT rules (HCTI). For real-time gross settlement VIBER (VIB). HUF transfer, when transferring HUF from own HUF account to another domestic HUF account (HCT). SEPA credit transfer, when transferring maximum 500.000 Euro to EEA without documentary reference (SCX) to a foreign bank. Intrabank FX transfer in other cases when beneficiary's bank is the same (DBB). FX transfer in any other case (DEV).</p>					
CustomerCreditTransferInitiation	<CstmrCdtTrfInittn>	[1..1]	±		urn:iso:std:iso:20022:tech:xsd:pain.001.001.03	
CustomerCreditTransferInitiation +GroupHeader	<GrpHdr>	[1..1]	±		message header	
CustomerCreditTransferInitiation +GroupHeader ++MessageId	<MsgId>	[1..1]	Text	35	message id	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++CreationDateTime	<CreDtTm>	[1..1]	DateTime		creation date and time of message	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++NumberOfTransactions	<NbOfTxs>	[1..1]	Num	15	number of transactions	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++ControlSum	<CtrlSum>	[0..1]	Dec.Num	18	control sum	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++InitiatingParty	<InitgPty>	[1..1]	±		debtor	

CustomerCreditTransferInitiation +GroupHeader ++InitiatingParty +++Name	<Nm>	[0..1]	Text	70	debtor name, will be overwritten with the name stored in the system	
CustomerCreditTransferInitiation +PaymentInformation	<PmtInf>	[1..n]	±		payment information	
CustomerCreditTransferInitiation +PaymentInformation ++PaymentInformationId	<PmtInfId>	[1..1]	Text	35	payment information id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentMethod	<PmtMtd>	[1..1]	CodeSet		"TRF"	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++NumberOfTransactions	<NbOfTxs>	[0..1]	Text		number of transactions within PaymentInformation	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++ControlSum	<CtrlSum>	[0..1]	Dec.Nu m.	18	control sum (of the transactions within PaymentInformation)	SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation	<PmtTpInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++InstructionPriority	<InstrPrty>	[0..1]	CodeSet		"NORM" or "HIGH" (in case of urgent FX transfer)	SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++Service Level	<SvcLvl>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++Service Level ++++Code	<Cd>	[1..1]	CodeSet		URGP: VIBER transfer SEPA: SEPA transfer (may be overridden by the system)	VIB SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CategoryPurpose	<CtgyPurp>	[0..1]	±		category purpose	
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CategoryPurpose ++++Code	<Cd>	[1..1]	CodeSet		use ISO dictionary, INTC: intra-company FX transfer	HCT SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CtgyPurp ++++Prtry	<Prtry>	[1..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++RequestedExecutionDate	<ReqdExctnDt>	[1..1]	Date		requested execution date	HCT SCX DEV DBB VIB HVE

CustomerCreditTransferInitiation +PaymentInformation ++Debtor	<Dbtr>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Name	<Nm>	[1..1]	Text	70	debtor name, will be overwritten with the name stored in the system	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++BICorBEI	<BICorBEI>	[0..1]	Text	11	BIC or BEI code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId	<Othr>	[0..1]	±			HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++SchemeName +++++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++SchemeName +++++++Prtry	<Prtry>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other	<Othr>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++SchemeName +++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++SchemeName +++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount	<DbtrAcct>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification	<Id>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++IBAN	<IBAN>	[0..1]	Account		IBAN account to be debited	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++Other	<Othr>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++Other +++++Id	<Id>	[1..1]	Account		GIRO account to be debited	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent	<DbtrAgt>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent +++FinancialInstitutionId	<FinInstnId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent +++FinancialInstitutionId ++++BankIdentificationCode	<BIC>	[1..1]	Text	11	Debtor bank ID, ignored	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor	<UltmtDbtr>	[0..1]	±		Ultimate debtor	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Name	<Nm>	[0..1]	Text	70	Ultimate debtor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++BICorBEI	<BICorBEI>	[0..1]	Text	11	BIC or BEI code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++SchemeName +++++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++SchemeName +++++++Prtry	<Prtry>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++SchemeName +++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++SchemeName +++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++Issuer	<lssr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation	<CdtTrfTxInf>	[1..1]	±		transaction information	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification	<PmtId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification ++++InstructionIdentification	<InstrId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification ++++EndToEndIdentification	<EndToEndId>	[1..1]	Text	35		HCT SCX HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation	<PmtTpInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++InstructionPriority	<InstrPrty>	[0..1]	CodeSet		"NORM" or "HIGH" (in case of urgent FX transfer)	SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++Service Level	<SvcLvl>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CtgyPurp	<CtgyPurp>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CategoryPurpose +++++Code	<Cd>	[1..1]	CodeSet		use ISO dictionary, INTC: intra-company FX transfer	HCT SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CtgyPurp +++++Prtry	<Prtry>	[1..1]	Text	35		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount	<Amt>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++InstructedAmount	<InstdAmt>	[0..1]	Text	18.2	Amount, @Ccy indicates amount and transaction currency	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount	<EqvtAmt>	[0..1]				
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount +++++Amount	<Amt>	[1..1]	Text	18.2	Amount, @Ccy indicated amount currency	DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount +++++CurrencyOfTransaction	<CcyOfTrf>	[1..1]	Text	3	Transaction currency	DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor	<UltmtDbtr>	[0..1]	±		Ultimate debtor	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Name	<Nm>	[0..1]	Text	70	Ultimate debtor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++BICorBEI	<BICorBEI>	[0..1]	Text	11	BIC or BEI code	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++OtherId +++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++OtherId +++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++OtherId +++++SchemeName +++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++OtherId +++++SchemeName +++++Prtry	<Prtry>	[0..1]	Text	35		
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++OtherId +++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other +++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other +++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other +++++SchemeName +++++Code	<Cd>	[0..1]	CodeSet	4	EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other +++++SchemeName +++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other +++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Charge Bearer	<ChrgBr>	[0..1]	CodeSet		DEBT CRED SHAR SLEV	SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent	<CdtrAgt>	[0..1]	±		Creditor bank	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId	<FinInstnId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++BankIdentificationCode	<BIC>	[0..1]	Text	11	BIC code of creditor bank	DEV

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++ClearingSystemMemberIdentificati on	<ClrSysMmbld>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++ClearingSystemMemberIdentificati on ++++++ClearingSystemIdentification	<ClrSysId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++ClearingSystemMemberIdentificati on ++++++ClearingSystemIdentification +++++++Code	<Cd>	[1..1]	CodeSet	5	AUBSB - Bank Branch code used in Australia CACPA - Bank Branch code used in Canada USABA - Routing Transit number assigned by the ABA for US financial institutons (Fedwire, NACHA)	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++ClearingSystemMemberIdentificati on ++++++MemberId	<Mmbld>	[1..1]	Text	35	Identifier of the creditor bank in specific clearing system	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++Name	<Nm>	[0..1]	Text	35	Name of creditor bank	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++PostalAddress	<PstlAdr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++PostalAddress +++++Country	<Ctry>	[0..1]	Text	2	Country code of creditor bank	DEV

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++PostalAddress ++++++AddressLine	<AdrLine>	[0..3]	Text	35	Address of creditor bank	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor	<Cdtr>	[1..1]	±		Creditor bank	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Name	<Nm>	[1..1]	Text	70	Creditor name	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress	<PstlAdr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress +++++Country	<Ctry>	[1..1]	CodeSet		Creditor's country code	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress +++++AddressLine	<AdrLine>	[0..2]	Text	70		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++BICorBEI	<BICorBEI>	[0..1]	Text	11	BIC or BEI code	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++OtherId +++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++OtherId +++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++OtherId +++++SchemeName +++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++OtherId +++++SchemeName +++++Prtry	<Prtry>	[0..1]	Text	35		
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++OtherId +++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other +++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++Other +++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++Other +++++++SchemeName +++++++Code	<Cd>	[0..1]	CodeSet	4	EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++Other +++++++SchemeName +++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private ++++++Other +++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount	<CdtrAcct>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification	<Id>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++IBAN	<IBAN>	[0..1]	Account		IBAN account to be credited	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other	<Othr>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other +++++Id	<Id>	[1..1]	Account /Text	24/2 54	GIRO account to be credited, or HCT beneficiary account proxy id	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other +++++SchemeName	<SchmeNm>	[0..1]	±			HCT
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other +++++SchemeName +++++Proprietary	<Prtry>	[1..1]	Text	4	Account proxy id type: EMAL - email address TELE - phone number TXNB - only Hungarian TAX id (corporate) TXID - Hungarian TAX id (private person), and every other foreign TAX id	HCT
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor	<UltmtCdtr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Name	<Nm>	[0..1]	Text	70	Ultimate creditor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++BICorBEI	<BICorBEI>	[0..1]	Text	11	BIC or BEI code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++OtherId	<Othr>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++OtherId +++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++OtherId +++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++OtherId +++++SchemeName +++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++OtherId +++++SchemeName +++++Prtry	<Prtry>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++OtherId +++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other +++++Identifier	<Id>	[1..1]	Text	35	Id	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other +++++SchemeName	<SchmeNm>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other +++++SchemeName +++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other +++++SchemeName +++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other +++++Issuer	<lssr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++InstructionForDebtorAgent	<InstrForDbtrAgt>	[0..1]	Text	140	Remark for the debtor bank	SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose	<Purp>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose ++++Code	<Cd>	[1..1]	CodeSet		Purpose	DEV DBB SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose ++++Prtry	<Prtry>	[1..1]	Text	35		DEV DBB SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RelatedRemittanceInformation	<RltdRmtInf>	[0..1]	±		Confirmation request	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RelatedRemittanceInformation ++++RemittanceLocationMethod	<RmtLctnMtd>	[0..1]	CodeSet		FAXI	SCX DEV

CustomerCreditTransferInitiation							
+PaymentInformation							
++CreditTransferTransactionInformation							
+++RelatedRemittanceInformation							
++++RemittanceLocationElectronicAddress	<RmtLctnElctrncAdr>	[0..1]	Text	60	Fax number		SCX DEV

K&H Bank Electra pain.001.001.06 import format

This document specifies which XML fields will be taken in account for the different transaction types (indicated in the Imp column)

Name	Tag name	Occ.	Type	Max	Remark	Imp
Document	<Document>	[1..1]	±			
	The system determines the actual type of the transaction of item and saves the transaction data into a corresponding package. The transaction type is decided according to the following rules:					
	<p>HUF Book transfer, when transferring HUF from HUF account to own HUF account (HVE). Instant HCT, when a VIBER transfer meets Instant HCT rules (HCTI). For real-time gross settlement VIBER (VIB). HUF transfer, when transferring HUF from own HUF account to another domestic HUF account (HCT). SEPA credit transfer, when transferring maximum 500.000 Euro to EEA without documentary reference (SCX) to a foreign bank. Intradank FX transfer in other cases when beneficiary's bank is the same (DBB). FX transfer in any other case (DEV).</p>					
CustomerCreditTransferInitiation	<CstmrCdtTrflnitn>	[1..1]	±		urn:iso:std:iso:20022:tech:xsd:pain.001.001.06	
CustomerCreditTransferInitiation +GroupHeader	<GrpHdr>	[1..1]	±		message header	
CustomerCreditTransferInitiation +GroupHeader ++MessageId	<MsgId>	[1..1]	Text	35	message id	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++CreationDateTime	<CreDtTm>	[1..1]	DateTime		creation date and time of message	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++NumberOfTransactions	<NbOfTxs>	[1..1]	Num	15	number of transactions	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++ControlSum	<CtrlSum>	[0..1]	Dec.Nu m	18	control sum	HCT SCX
CustomerCreditTransferInitiation +GroupHeader ++InitiatingParty	<InitgPty>	[1..1]	±		debtor	
CustomerCreditTransferInitiation +GroupHeader ++InitiatingParty +++Name	<Nm>	[0..1]	Text	70	debtor name, will be overwritten with the name stored in the system	

CustomerCreditTransferInitiation +PaymentInformation	<PmtInf>	[1..n]	±		payment information	
CustomerCreditTransferInitiation +PaymentInformation ++PaymentInformationId	<PmtInfId>	[1..1]	Text	35	payment information id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentMethod	<PmtMtd>	[1..1]	CodeSet		"TRF"	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++NumberOfTransactions	<NbOfTxs>	[0..1]	Text		number of transactions within PaymentInformation	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++ControlSum	<CtrlSum>	[0..1]	Dec.Nu m.	18	control sum (of the transactions within PaymentInformation)	SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation	<PmtTpInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++InstructionPriority	<InstrPrty>	[0..1]	CodeSet		"NORM" or "HIGH" (in case of urgent FX transfer)	SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++Service Level	<SvcLvl>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++Service Level ++++Code	<Cd>	[1..1]	CodeSet		URGP: VIBER transfer SEPA: SEPA transfer (may be overridden by the system)	VIB SCX
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CategoryPurpose	<CtgyPurp>	[0..1]	±		category purpose	
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CategoryPurpose ++++Code	<Cd>	[1..1]	CodeSet		use ISO dictionary, INTC: intra-company FX transfer	HCT SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++PaymentTypeInformation +++CtgyPurp ++++Prtry	<Prtry>	[1..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++RequestedExecutionDate	<ReqdExctnDt>	[1..1]	Date		requested execution date	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++Debtor	<Dbtr>	[1..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Name	<Nm>	[1..1]	Text	70	debtor name, will be overwritten with the name stored in the system	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++AnyBICIdentifier	<AnyBIC>	[0..1]	Text	11	BIC code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId	<Othr>	[0..1]	±			HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId +++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId +++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId +++++SchemeName +++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId +++++SchemeName +++++Prtry	<Prtry>	[0..1]	Text	35		SCX

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Organization +++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++SchemeName +++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++SchemeName +++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++Debtor +++Identification ++++Private +++++Other ++++++Issuer	<lssr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount	<DbtrAcct>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification	<Id>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++IBAN	<IBAN>	[0..1]	Account		IBAN account to be debited	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAccount +++Identification ++++Other +++++Id	<Id>	[1..1]	Account		GIRO account to be debited	HCT SCX DEV DBB VIB HVE

CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent	<DbtrAgt>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent +++FinancialInstitutionId	<FinInstnId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++DebtorAgent +++FinancialInstitutionId ++++BankIdentificationCode	<BICFI>	[1..1]	Text	11	Debtor bank ID, ignored	
CustomerCreditTransferInitiation +PaymentInformation ++InstructionForDebtorAgent	<InstrForDbtrAgt>	[0..1]	Text	140	Remark for the debtor bank	SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor	<UltmtDbtr>	[0..1]	±		Ultimate debtor	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Name	<Nm>	[0..1]	Text	70	Ultimate debtor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++AnyBICIdentifier	<AnyBIC>	[0..1]	Text	11	BIC code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId +++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++SchemeName +++++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++SchemeName +++++++Prtry	<Prtry>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Organization +++++OtherId ++++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private	<PrvtId>	[0..1]	±		Private identification	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++DateAndPlaceOfBirth ++++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++SchemeName +++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++SchemeName +++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX

CustomerCreditTransferInitiation +PaymentInformation ++UltimateDebtor +++Identification ++++Private +++++Other ++++++Issuer	<lssr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation	<CdtTrfTxInf>	[1..1]	±		transaction information	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification	<PmtId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification ++++InstructionIdentification	<InstrId>	[0..1]	Text	35		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentIdentification ++++EndToEndIdentification	<EndToEndId>	[1..1]	Text	35		HCT SCX HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation	<PmtTpInf>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++InstructionPriority	<InstrPrty>	[0..1]	CodeSet		"NORM" or "HIGH" (in case of urgent FX transfer)	SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++Service Level	<SvcLvl>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CtgyPurp	<CtgyPurp>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CategoryPurpose +++++Code	<Cd>	[1..1]	CodeSet		use ISO dictionary, INTC: intra-company FX transfer	HCT SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++PaymentTypeInformation ++++CtgyPurp +++++Prtry	<Prtry>	[1..1]	Text	35		HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount	<Amt>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++InstructedAmount	<InstdAmt>	[0..1]	Text	18.2	Amount, @Ccy indicates amount and transaction currency	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount	<EqvtAmt>	[0..1]				
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount +++++Amount	<Amt>	[1..1]	Text	18.2	Amount, @Ccy indicated amount currency	DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Amount ++++EquivalentAmount +++++CurrencyOfTransaction	<CcyOfTrf>	[1..1]	Text	3	Transaction currency	DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor	<UltmtDbtr>	[0..1]	±		Ultimate debtor	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Name	<Nm>	[0..1]	Text	70	Ultimate debtor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++AnyBICIdentifier	<AnyBIC>	[0..1]	Text	11	BIC code	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++OtherId +++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++OtherId +++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++OtherId +++++SchemeName +++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++OtherId +++++SchemeName +++++Prtry	<Prtry>	[0..1]	Text	35		
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Organization +++++OtherId +++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other +++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other +++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other +++++SchemeName +++++Code	<Cd>	[0..1]	CodeSet	4	EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other +++++SchemeName +++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateDebtor ++++Identification +++++Private +++++Other +++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Charge Bearer	<ChrgBr>	[0..1]	CodeSet		DEBT CRED SHAR SLEV	SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent	<CdtrAgt>	[0..1]	±		Creditor bank	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId	<FinInstnId>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++BankIdentificationCode	<BICFI>	[1..1]	Text	11	BIC code of creditor bank	

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++ClearingSystemMemberIdentificati on	<ClrSysMmbld>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++ClearingSystemMemberIdentificati on ++++++ClearingSystemIdentification	<ClrSysId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++ClearingSystemMemberIdentificati on ++++++ClearingSystemIdentification +++++++Code	<Cd>	[1..1]	CodeSet	5	AUBSB - Bank Branch code used in Australia CACPA - Bank Branch code used in Canada USABA - Routing Transit number assigned by the ABA for US financial institutons (Fedwire, NACHA)	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++ClearingSystemMemberIdentificati on ++++++MemberId	<Mmbld>	[1..1]	Text	35	Identifier of the creditor bank in specific clearing system	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++Name	<Nm>	[0..1]	Text	35	Name of creditor bank	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++PostalAddress	<PstlAdr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++PostalAddress +++++Country	<Ctry>	[0..1]	Text	2	Country code of creditor bank	DEV

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAgent ++++FinancialInstitutionId +++++PostalAddress ++++++AddressLine	<AdrLine>	[0..3]	Text	35	Address of creditor bank	DEV
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor	<Cdtr>	[1..1]	±		Creditor bank	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Name	<Nm>	[1..1]	Text	70	Creditor name	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress	<PstlAdr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress +++++Country	<Ctry>	[1..1]	CodeSet		Creditor's country code	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++PostalAddress +++++AddressLine	<AdrLine>	[0..2]	Text	70		HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization ++++++AnyBICIdentifier	<AnyBIC>	[0..1]	Text	11	BIC code	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++OtherId	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++OtherId +++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++OtherId +++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++OtherId +++++SchemeName +++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++OtherId +++++SchemeName +++++Prtry	<Prtry>	[0..1]	Text	35		
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Organization +++++OtherId +++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other +++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other +++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other +++++SchemeName +++++Code	<Cd>	[0..1]	CodeSet	4	EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other +++++SchemeName +++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Creditor ++++Identification +++++Private +++++Other +++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount	<CdtrAcct>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification	<Id>	[1..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++IBAN	<IBAN>	[0..1]	Account		IBAN account to be credited	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other	<Othr>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other +++++Id	<Id>	[1..1]	Account /Text	24/2 54	GIRO account to be credited, or HCT beneficiary account proxy id	HCT SCX DEV DBB VIB HVE
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other +++++SchemeName	<SchmeNm>	[0..1]	±			HCT
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++CreditorAccount ++++Identification +++++Other +++++SchemeName +++++Proprietary	<Prtry>	[1..1]	Text	4	Account proxy id type: EMAL - email address TELE - phone number TXNB - only Hungarian TAX id (corporate) TXID - Hungarian TAX id (private person), and every other foreign TAX id	HCT
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor	<UltmtCdtr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Name	<Nm>	[0..1]	Text	70	Ultimate creditor name	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification	<Id>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization	<OrgId>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++AnyBICIdentifier	<AnyBIC>	[0..1]	Text	11	BIC code	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++OtherId	<Othr>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++OtherId +++++Identifier	<Id>	[1..1]	Text	35	Id	HCT SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++OtherId +++++SchemeName	<SchmeNm>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++OtherId +++++SchemeName +++++Code	<Cd>	[0..1]	CodeSet	4	BANK - BankPartyIdentification CBID - Central Bank Identification Number CHID - Clearing Identification Number COID - Country Identification Code CUST - Customer Number DUNS - Data Universal Numbering System EMPL - Employer Identification Number GS1G - GS1GLN Identifier SREN - SIREN Identifier SRET - SIRET Identifier TXID - Tax Identification Number	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++OtherId +++++SchemeName +++++Prtry	<Prtry>	[0..1]	Text	35		SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Organization +++++OtherId +++++Issuer	<Issr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private	<PrvtId>	[0..1]	±		Private identification	

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[0..1]	±		Date and place of birth	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++BirthDate	<BirthDt>	[1..1]	ISODate		Date of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CityOfBirth	<CityOfBirth>	[1..1]	Text	35	Place of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++DateAndPlaceOfBirth +++++CountryOfBirth	<CtryOfBirth>	[1..1]	Country Code	2	Country of birth	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other	<Othr>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other +++++Identifier	<Id>	[1..1]	Text	35	Id	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private +++++Other +++++SchemeName	<SchmeNm>	[0..1]	±			

CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++Other +++++++SchemeName +++++++Code	<Cd>	[0..1]	CodeSet	4	DRLC - Drivers licence number CUST - Customer number SOSE - Social security number ARNU - Alien registration number CCPT - Passport number TXID - Tax number NIDN - National ID number EMPL - Employer ID	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++Other +++++++SchemeName +++++++Prtry	<Prtry>	[0..1]	Text	35	Other ID type	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++UltimateCreditor ++++Identification +++++Private ++++++Other +++++++Issuer	<lssr>	[0..1]	Text	35	Issuer	SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++InstructionForDebtorAgent	<InstrForDbtrAgt>	[0..1]	Text	140	Remark for the debtor bank	SCX DEV DBB
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose	<Purp>	[0..1]	±			
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose ++++Code	<Cd>	[1..1]	CodeSet		Purpose	DEV DBB SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++Purpose ++++Prtry	<Prtry>	[1..1]	Text	35		DEV DBB SCX
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RelatedRemittanceInformation	<RltdRmtInf>	[0..1]	±		Confirmation request	
CustomerCreditTransferInitiation +PaymentInformation ++CreditTransferTransactionInformation +++RelatedRemittanceInformation ++++RemittanceLocationDetails	<RmtLctnDtls>	[0..1]	±			

CustomerCreditTransferInitiation						
+PaymentInformation						
++CreditTransferTransactionInformation						
+++RelatedRemittanceInformation						
++++RemittanceLocationDetails						SCX
+++++Method	<Mtd>	[0..1]	CodeSet	FAXI		DEV